



PAVING SOLUTIONS

RESIDENTIAL PAVING
COMMERCIAL PAVING
PERMEABLE PAVING



VERSION 5 | WWW.BOWERSBROTHERS.CO.NZ



ABOUT BOWERS MASONRY

Bowers Brothers Concrete's long-standing presence in the industry and our commitment to sustainable practices is ingrained in our mission to ensure a positive future for the next generation. As a family-owned concrete manufacturing company's our history spans over 90 years, this showcases our companys dedication and expertise.

The expansion of branches throughout the Waikato and in Auckland shows a strong focus on providing concrete products to a wide customer base. Collaborations with key Building Supply Merchants across the North Island further highlight Bowers dedication to delivering quality products to our customers.

Our state-of-the-art Columbia block machines for manufacturing masonry blocks, bricks, paving, and retaining wall products showcases Bowers commitment to utilising advanced technology to produce a diverse range of high-quality concrete products.

The transition of the Bowers Morrinsville Masonry Plant to solar power since January 2022 is a remarkable step toward sustainability and reducing our company's carbon footprint. This move not only showcases our commitment to environmental responsibility but also positions Bowers Brothers Concrete as an eco-conscious leader in the industry.




BOWERS MASONRY PAVING

Outdoor living is a part of the New Zealand way of life. The Bowers Masonry Paving range will help you to create that outdoor dining patio area, an expansive area for the kids to play or a space to park the boat. Our durable pavers will transform your homes outdoor areas into the lifestyle vision you have always dreamed of.



FINISHES AVAILABLE



FAIR FACED

Smooth textured surface.



SHOT BLASTED

This gives a rough exposed face to the product. Made to order.




HONED

Polished Paving, supplied pre-honed. Made to order.

FLAGSTONE 50mm

Flagstone pavers are a popular choice for residential landscaping projects due to their modern and contemporary appearance. Their versatility and large size make them suitable for a wide range of outdoor spaces. Flagstone pavers are known for their irregular and natural shapes, which contribute to a unique and visually appealing look. They often come in larger sizes compared to other types of pavers, which can create a sense of grandeur in outdoor designs.



Flagstone pavers are highly versatile and can be used in various outdoor applications. They are commonly used for walkways, patios, pool decks and garden paths. Their ability to blend well with different styles and surroundings makes them a preferred choice for many landscaping projects.

When using flagstone pavers for your landscaping project, it's essential to consider factors such as the type of finish that suits your desired aesthetic, the layout pattern, maintenance requirements, and slip resistance, especially for areas prone to water exposure. Overall, flagstone pavers offer a range of benefits that contribute to their popularity in modern landscaping projects.

COLOUR RANGE STANDARD COLOURS



NATURAL

IRONSANDS

TERRACOTTA

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.




JAFFA

RUSTIC

AUTUMN
LEAVES

LIMESTONE

PREMIUM COLOURS



ASPEN

MIDNIGHT

BEST FOR

Residential

SPECIFICATIONS

450mm x 450mm x 50mm

5 units per m²

48 per pallet

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



REGENT 50mm



The Regent paver is a versatile and visually appealing option for landscape design. Its smaller size compared to the Flagstone paver, combined with a modern square appearance, offers the potential to create eye-catching outdoor spaces.

The choice between Running Bond and Stack Bond configurations provides flexibility in design and layout, allowing for various patterns and aesthetics to be achieved. One of the notable features of the Regent paver is its made-to-order shot-blasted finish, which can add a touch of drama and architectural elegance to your project. This finish can enhance the overall aesthetic appeal of the paved area, making it stand out and catch the eye.

The versatility of the Regent paver makes it suitable for a variety of landscaping applications, including paths, patios, domestic or light vehicle use. This adaptability shows that the paver can be seamlessly incorporated into different parts of your outdoor space, creating a cohesive and visually pleasing landscape design.

The Regent paver offers a combination of modern aesthetics, design flexibility, and customisation options that contribute to the creation of stunning outdoor landscapes in residential settings.

COLOUR RANGE STANDARD COLOURS



NATURAL IRONSANDS TERRACOTTA

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.



JAFFA RUSTIC AUTUMN LEAVES LIMESTONE

PREMIUM COLOUR



MIDNIGHT

BEST FOR

Residential

SPECIFICATIONS

230mm x 190mm x 50mm
23 units per m²
312 per pallet

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



LONDON 50mm



The functional London 50mm paver offers an ideal solution for residential landscaping projects where the emphasis is on the intricate laying pattern of the paved area. Whether you choose classic patterns like herringbone, basket weave, or running bond, the London paver has the capability to transform the space into a timeless and visually appealing design. This is made possible by the pavers adaptability to any of the two available colour-ways. To further elevate the design aesthetic, you can opt for an architectural finish through our made-to-order shot-blasted option. This finish adds a unique texture and visual interest to the pavers, enhancing the overall look and feel of the paved area.

The versatility of the London 50mm paver makes it suitable for various landscaping applications, including paths, patios, domestic or light vehicle use and other outdoor areas. Its durability and functionality ensure that it can withstand foot traffic, vehicular movement, and the demands of outdoor environments.

By choosing the London 50mm paver, you're not only getting a reliable and durable paving solution but also a canvas for creative laying patterns that can truly become the focal point of your residential landscape design. Whether you're aiming for a traditional, contemporary, or customised look, these pavers have the potential to bring your vision to life while adding a touch of elegance and charm to your outdoor space.

COLOUR RANGE STANDARD COLOURS



NATURAL

IRONSANDS

TERRACOTTA

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.

PREMIUM COLOUR



MIDNIGHT

BEST FOR

Residential

SPECIFICATIONS

200mm x 100mm x 50mm

50 units per m²

720 per pallet

Suitable for driveways

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



STONEPAVE 50mm



The Stonepave 50mm paver is a unique and visually appealing product that offers a modern twist on the traditional cobblestone look.

Its distinctive features, such as an undulating surface that resembles water ripples, creating an eye-catching and bespoke appearance. This innovation in paving provides a fresh and stylish option for residential applications, adding a stunning aesthetic to various outdoor spaces.

With its creative design and incorporation of elements that mimic natural patterns, the Stonepave 50mm paver stands out in the market and appeals to individuals looking to enhance the visual appeal of their homes and outdoor areas.

The combination of traditional charm and contemporary design elements make this paver a versatile choice for a range of architectural styles and landscaping designs.

COLOUR RANGE STANDARD COLOURS



ROCKSALT



IRONSANDS

Rock Salt is a mixed blend of Natural and Ironsands.

MADE-TO-ORDER COLOUR* PREMIUM COLOUR



MIDNIGHT

*Made to order colours and finishes. Available on a minimum order quantity.

BEST FOR

- Residential

SPECIFICATIONS

200mm x 100mm x 50mm
50 units per m²
720 per pallet
Suitable for driveways

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



LONDON 80mm



The functional London 80mm masonry paver is an excellent choice for commercial landscaping projects where the focal point is the intricate laying pattern of the paved area. This paver is designed to shine whether the desired paving pattern is a classic herringbone, a sophisticated basket weave, or a straightforward running bond. Regardless of the chosen pattern, the London paver guarantees the creation of a timeless and visually appealing design.

The paver is available in a distinctive colour-way, providing flexibility to match the surrounding environment and architectural elements. This variety ensures that the paver seamlessly integrates into the overall aesthetic of the project. For those seeking to take the design a step further, an architectural finish can be added to the paver. This can be achieved through a made-to-order shot-blasted option. Shot-blasting enhances the pavers surface, adding texture and character to the design. This finishing option adds a touch of sophistication and uniqueness, elevating the visual and tactile experience of the paved area.

The versatility of the London 80mm paver extends beyond its aesthetics. It is suitable for a range of applications, including driveways, roads, and other commercial areas. Its robust construction and durability make it an ideal choice for areas that experience high traffic or heavy loads.

COLOUR RANGE STANDARD COLOURS



NATURAL IRONSANDS TERRACOTTA

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.



JAFFA RUSTIC AUTUMN LEAVES LIMESTONE

PREMIUM COLOUR



MIDNIGHT

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

200mm x 100mm x 80mm
50 units per m²
480 per pallet

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



STONEPAVE 80mm



The Stonepave 80mm paver is a distinctive and visually appealing option for various commercial applications, particularly driveways and roads. Its unique design, reminiscent of a cobble set with an undulating surface resembling water, presents a fresh and innovative take on the traditional cobblestone appearance.

The Stonepave 80mm pavers aesthetic qualities enhance the overall look of commercial spaces, adding an element of sophistication and charm. Stonepave 80mm is suitable for driveways, roads, and other commercial uses making its durability and practicality ideal for high-traffic areas. This combination of aesthetics and functionality could make it an attractive choice for projects where both visual appeal and performance are important factors. This paver has a strong focus on capturing a natural and visually dynamic effect which makes the paver stand out among other paving options in the market.

The Stonepave 80mm paver is an intriguing addition to the paving range, offering a modern twist on the classic cobblestone appearance. Its suitability for various commercial applications, coupled with its eye-catching design, make it an appealing choice for projects that seek to balance aesthetics and functionality.

COLOUR RANGE STANDARD COLOURS



ROCKSALT Rock Salt is a mixed blend of Natural and Ironsands.

MADE-TO-ORDER COLOURS*



IRONSANDS

*Made to order colours and finishes.
Available on a minimum order quantity.

PREMIUM COLOUR



MIDNIGHT

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

200mm x 100mm x 80mm
50 units per m²
480 per pallet
Suitable for roads

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.


This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



LAYING PATTERNS

Creating a unique feature with the laying pattern of your pavers can transform the aesthetic of your paved area, whether it's a patio, driveway, or path.

Remember that the choice of materials and colours also plays a significant role in the overall aesthetic. Before finalising your design, consider the style of your home, landscaping elements, and the mood you want to create in your outdoor space. By selecting the right laying pattern and materials, you can truly add a unique dimension and character to your patio, driveway, or path.




RUNNING BOND

STACK BOND

HERRINGBONE

BASKET WEAVE

MACHINE LAID



90° HERRINGBONE

45° HERRINGBONE

STRETCHER BOND

BASKET WEAVE

ROAD KERB

Commercial concrete kerbing is a type of kerbing or edging that is specifically designed for use in road network pavements, car park perimeters, access-ways, and various other commercial applications. It serves both functional and aesthetic purposes in these settings.



The kerbing is manufactured using concrete, which provides durability required for heavy-duty applications. It is designed to withstand the weight and traffic of vehicles, ensuring long-lasting performance. The kerbs are usually installed at the edges of roads, parking lots, and pathways to provide clear separation between different areas, guide traffic flow, and prevent vehicles from encroaching onto pedestrian areas.

One of the notable features of commercial concrete kerbing is its interlocking mechanism. The kerbs are designed with a V-shaped joint between individual units. These units can be laid next to each other, and the V joints interlock, creating a secure and seamless connection. This interlocking design enhances the overall stability of the kerbing, making it more resistant to shifting due to traffic loads. The V joints between the kerb units are typically filled with mortar, a mixture of cement, sand, and water. This mortar filling serves to further strengthen the connection between the kerbs and provides additional stability to the kerbing structure as a whole.

COLOUR RANGE STANDARD COLOURS



NATURAL

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.



IRONSANDS

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

460mm x 125mm x 205mm
2.17 units/lm
76 per pallet
24.6kg

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



MOUNTABLE KERB

Bowers Brothers' versatile Mountable Kerbs, designed to redefine road edging solutions. Crafted with precision, these kerbs serve as the perfect choice for delineating the boundaries of traffic islands and crossings.

Unlike traditional kerbs, our Mountable Kerbs boast a sleek sloping face, facilitating seamless vehicular passage with ease. With a requirement of just 2.15 units per lineal meter, our Mountable Kerbs are efficient and practical, ensuring optimal usage while maintaining impeccable quality standards. Installation is a breeze, following the same method as our renowned Bowers Brothers Road Kerbs, streamlining the process for construction projects of any scale.



Versatility meets durability with our Mountable Kerbs, making them suitable for a range of applications including kerbs and edging. Elevate your road infrastructure with Bowers Brothers' Mountable Kerbs, where innovation meets functionality.

COLOUR RANGE STANDARD COLOURS



NATURAL

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.



IRONSANDS

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

457mm L x 147mm W x
180mm H/Side, 120mm L/ Side
2.17 units/lm
80 per pallet | 21.84kg

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



RADIUS KERB

Bowers Brothers' Radius Kerbs: the perfect solution for seamless transitions and precise angles in commercial roading and residential landscaping projects.

Designed to complement our Road Kerbs, these versatile Radius Kerbs come into play wherever a smooth 90-degree angle is needed, such as when installing driveway crossings through the kerb line. Crafted with meticulous attention to detail, they offer unparalleled durability and functionality. Whether used for kerbs or edging, our Radius Kerbs ensure a flawless finish, elevating the aesthetics and functionality of any outdoor space.



COLOUR RANGE STANDARD COLOURS



NATURAL

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes. Available on a minimum order quantity.



IRONSANDS

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

127mm W x 295mm External Radius,
 170mm Internal Radius
 2.17 units/lm
 68 units/pallet | 21.84kg

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.





PERMEABLE PAVING RANGE

 **masterspec partner**

FINISHES AVAILABLE



FAIR FACED
Smooth textured
surface.



SHOT BLASTED
This gives a rough
exposed face to
the product.
Made to order.



AQUACOURT™



Aquacourt permeable pavers offer a promising solution for those seeking sustainable and aesthetically pleasing alternatives to traditional impermeable pavements. Their ability to address drainage issues, heat mitigation, and landscape design needs makes them a valuable option for various projects. This versatility makes them suitable for a wide range of outdoor spaces, from residential gardens to commercial landscapes. Aquacourt permeable pavers allow air and water to pass through them and drain freely into the ground below. This helps prevent water runoff and encourages proper drainage, reducing the risk of flooding and soil erosion.

The permeability of Aquacourt pavers aids in effective water drainage. By allowing water to infiltrate the ground rather than pooling on the surface, these pavers help maintain the health of soil and vegetation. The permeable nature of these pavers aligns with sustainable landscaping practices. They contribute to reducing the environmental impact of hard scape surfaces by facilitating natural water infiltration.

These pavers are designed to mimic the look of standard pavers, ensuring that the aesthetic appeal of outdoor spaces is maintained. This means that while providing functional benefits, they also contribute to the overall visual design.

COLOUR RANGE STANDARD COLOURS



IRONSANDS

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes are available on a minimum order quantity. Please talk to your local Bowers representative for more information.

IMPORTANT INFORMATION

Please ensure installation is done correctly by a credible contractor, if installed incorrectly the permeable system will not create the desired results. For full installation instruction please visit Bowers Technical Specifications page on our website.

BEST FOR

Residential

SPECIFICATIONS

450mm x 225mm x 50mm

10 units per m²

96 per pallet

Permeability 1,800mm per hr

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.



AQUALOK™



The Aqualok permeable paving system is designed to manage storm water runoff effectively by diverting and storing water within the paving structure. This process allows water to be filtered and cleansed of pollutants and sediments before gradually releasing it into the ground below. The system employs a unique approach with raised nubs on each paver that create spaces when laid, which are then filled with a fine drainage medium. This creates a pathway for water to flow through the pavers, facilitating the drainage process. When combined with the Aquastone paving system, the Aqualok system can lead to visually appealing and functional landscape designs. By utilising both rectangle and cobblestone set pavers, various design elements can be achieved. These design features could range from subtle edging to more elaborate and attention-grabbing patterns, allowing for versatility in creating a unique and attractive outdoor space.

The Aqualok and Aquastone systems are suitable for various outdoor applications such as paths, patios, driveways, and other landscaping projects. The permeable nature of the Aqualok system makes it particularly well-suited for areas where effective storm water management is essential to prevent flooding, erosion, and water pollution. Additionally, the aesthetic possibilities offered by combining these paving systems make them a desirable choice for enhancing the visual appeal of outdoor environments.

COLOUR RANGE STANDARD COLOURS



NATURAL

IRONSANDS

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes are available on a minimum order quantity. Please talk to your local Bowers representative for more information.

IMPORTANT INFORMATION

Please ensure installation is done correctly by a credible contractor, if installed incorrectly the permeable system will not create the desired results. For full installation instruction please visit Bowers Technical Specifications page on our website.

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

200mm x 100mm x 80mm

50 units per m²

480 per pallet

Permeability 5,500mm per hr

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.

AQUASTONE™



Aquastone permeable pavers are an innovative and aesthetically pleasing solution for various landscaping applications. These pavers offer the appearance of traditional cobblestone set pavers but come in a convenient size of 200mm x 100mm. The unique feature of raised nubs on each side of the paver is particularly interesting, as it allows for wider spacing between the pavers when they are laid down. This spacing creates permeable drainage channels, which can be filled with a fine drainage medium to facilitate water drainage. By combining the Aquastone paving system with the Aqualok paving system, you can achieve diverse and captivating landscape designs. This combination of rectangle and cobblestone sett pavers offers versatility in design, making it possible to create subtle edging or more intricate and attention-grabbing patterns.

It's worth noting that the permeable nature of these pavers can be advantageous for eco-friendly landscaping and for addressing water drainage concerns, which is particularly important in areas where water runoff management is a consideration.

These pavers are suitable for paths, patios, driveways, and other landscaping applications which shows their versatility and potential to enhance various outdoor spaces.

COLOUR RANGE STANDARD COLOURS



ROCKSALT



IRONSANDS

Rock Salt is a mixed blend of Natural and Ironsands.

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes are available on a minimum order quantity. Please talk to your local Bowers representative for more information.

IMPORTANT INFORMATION

Please ensure installation is done correctly by a credible contractor, if installed incorrectly the permeable system will not create the desired results. For full installation instruction please visit Bowers Technical Specifications page on our website.

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

200mm x 100mm x 80mm
50 units per m²
480 per pallet
Permeability 5,500mm per hr

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.

GRASSLOK™



Grasslok permeable pavers offer an innovative solution to address issues related to troublesome grassed areas with soft ground or potholes. These pavers provide a dual benefit of adding strength and durability to grassed lawns while accommodating light traffic or functioning as hard stand areas. By utilising Grasslok permeable pavers, you can transform problematic areas into functional spaces that maintain an attractive and natural appearance.

One of the key advantages of Grasslok permeable pavers is their ability to create a permeable surface. This permeability effectively manages stormwater by allowing water to infiltrate the ground rather than contributing to storm water runoff. This is especially crucial considering the concerns surrounding impermeable pavements, which can exacerbate storm water runoff issues. By adopting Grasslok pavers and constructing permeable areas, you not only mitigate storm water runoff but also eliminates the need for costly drainage systems.

The versatility of Grasslok permeable pavers makes them suitable for various applications, including: paths, patios, driveways, hard stand and overflow parking areas. By utilising Grasslok permeable pavers, you can effectively combine functionality and environmental responsibility. These pavers not only improve the aesthetics of your outdoor spaces but also contribute to sustainable storm water management. Whether it's for residential, commercial, or public areas, Grasslok permeable pavers offer a practical and eco-friendly solution for transforming problematic grassed areas into valuable and resilient spaces.

COLOUR RANGE STANDARD COLOURS



NATURAL



IRONSANDS

MADE-TO-ORDER COLOURS*

*Made to order colours and finishes are available on a minimum order quantity. Please talk to your local Bowers representative for more information.

IMPORTANT INFORMATION

Please ensure installation is done correctly by a creditable contractor, if installed incorrectly the permeable system will not create the desired results. For full installation instruction please visit Bowers Technical Specifications page on our website.

BEST FOR

- Residential
- Commercial

SPECIFICATIONS

400mm x 200mm x 80mm
12.5 units per m² | 150 per pallet
Permeability dependant on grass turf or pebble stones used.

NOTE: Colours shown may alter, due to the limitation of the colour printing process of this catalogue.

This product is not subject to a warning or ban under the Building Act 2004, or a description of any warning or ban that has been made in relation to the product.





AQUABIND™

Aquabind™, which is a water-based acrylic solution with elastomeric properties designed to be used in conjunction with permeable pavement projects. Aquabind™ is a product designed to provide stability and durability to permeable pavement projects by using its elastomeric properties. It's mixed with water at a 1:1 ratio and is used to prevent erosion of jointing chips and decorative pebbles, especially in situations where water flow or cleaning methods might pose a risk to the integrity of the pavement.

Aquabind™, which is a water-based acrylic solution with elastomeric properties designed to be used in conjunction with permeable pavement projects. Aquabind™ is a product designed to provide stability and durability to permeable pavement projects by using its elastomeric properties. It's mixed with water at a 1:1 ratio and is used to prevent erosion of jointing chips and decorative pebbles, especially in situations where water flow or cleaning methods might pose a risk to the integrity of the pavement.

Properties: Aquabind™ is a water-based acrylic solution that possesses elastomeric properties. This means that it has the ability to flex and move with the permeable pavement, adapting to any changes without cracking or breaking.

Application: The diluted Aquabind™ solution is applied to jointing chips and decorative pebbles. Its primary purpose is to stabilise these materials, preventing them from being washed out due to factors like steep driveways or cleaning methods involving water blasters or hose pipes.

Concentration: Aquabind™ concentrate is sold in 20-liter pails. When mixed with water at a 1:1 ratio, you get a diluted solution. For example, you would mix 1 liter of Aquabind™ with 1 liter of water.

Coverage: When the diluted Aquabind™ solution is used in a 1:1 ratio with water, one 20-liter pail of Aquabind™ can cover approximately 60 square meters (m²) of paving. This indicates the area that can be effectively treated with the given amount of product.

Complementary Products: Aquabind™ is recommended to be used alongside other products like Aqualok™ and Aquastone™ for stabilising joint chips, and with Grasslok™ when working with decorative pebbles. These complementary products likely enhance the performance of the overall pavement system.

IMPORTANT INFORMATION

1. As masonry paving is manufactured using natural products, some variation in the shade/colour, texture and size tolerations should be expected. Paving for each job should come out of the same batch and you should blend off multiple pallets. A "Batch" is deemed to be:
From which plant it is manufactured & The date of manufacture. (this may be over consecutive days due to manufacturing limitations). It is advised that you check the batch details on all pallets prior to commencing installation in case there has been a loading error from the yard or your supplier. It is easier to remedy any issues before the work has commenced. It is also advised that you keep a copy of the batch details in case you run short of product.
2. Product laid is deemed to be product accepted.
3. Concrete products may display 'efflorescence' (whitening) which is a natural occurrence. We have taken all possible steps to minimise this from occurring in our products.



 0800 207 374

 sales@bowersbrothers.co.nz

 www.bowersbrothers.co.nz

Bowers Brothers Concrete Ltd
51 Lorne Street, Morrinsville, New Zealand 3300

NZ MADE MASONRY
Blocks | Bricks | Paving | Retaining

